

Photometric test report

Family
Silica® 31



Order number: 51MY6LMS44BA
EAN: 4069025073327

LP number
59650_5

serial documentation
28.06.2024


sitereco

Luminous intensity in cd/klm

C180-0

C270-90

I_{max}: 590 cd/klm



Classifications

DIN 5040 A 6 0
CIE N1=82 N2=100 N3=100
N4=100 N5=100

Luminaire light output ratios

η_{LB}	100.0%
ϕ_u	100.0%
ϕ_o	0.0%

Measurement conditions

DIN EN 13032 and DIN 5032

Photometric test report

**Family
Silica® 31**

**Order number: 51MY6LMS44BA
EAN: 4069025073327**

**LP number
59650_5**

s i t e c o

Table of values for luminous intensities Maximum luminous intensity

C-planes	0°	15°	30°	45°	60°	75°	90°	105°	120°	135°	150°	165°	180°
Luminous intensity in cd/klm													
γ													
0°	589.6	589.6	589.6	589.6	589.6	589.6	589.6	589.6	589.6	589.6	589.6	589.6	589.6
5°	589.5	589.4	589.4	589.4	589.1	588.9	589.2	589.5	589.6	589.5	589.6	589.6	589.7
10°	588.4	588.4	588.5	588.4	588.4	588.1	588.3	588.8	588.4	588.3	587.8	587.7	587.7
15°	586.3	586.7	587.2	587.4	587.7	587.1	587.8	587.6	587.9	587.6	586.9	585.8	585.7
20°	582.8	583.8	584.9	586.9	579.9	576.4	575.9	577.8	581.6	586.4	584.6	583.0	583.1
25°	579.2	579.2	581.5	570.2	565.1	564.1	564.4	566.6	567.6	571.7	580.2	577.6	579.0
30°	554.5	553.6	560.9	539.2	545.9	549.7	552.3	555.3	547.8	540.2	561.0	561.0	565.4
35°	498.6	485.5	470.2	482.4	488.3	439.7	426.4	444.7	494.0	488.0	493.6	513.1	520.6
40°	371.4	369.8	347.4	366.4	347.6	303.2	299.4	314.1	345.6	402.6	363.9	402.3	438.8
45°	173.6	197.8	191.8	230.8	196.6	169.1	173.7	176.6	203.2	230.1	209.2	207.7	245.6
50°	53.2	68.1	63.9	99.8	75.7	99.3	115.6	109.0	73.3	118.0	90.8	77.6	91.9
55°	8.2	12.8	28.5	28.3	40.6	53.2	58.3	56.6	44.0	28.5	31.6	22.9	17.4
60°	0.5	1.7	6.4	13.2	16.3	8.1	0.6	8.4	15.6	16.0	11.1	2.3	1.9
65°	0.1	0.1	0.3	4.4	0.5	0.4	0.4	0.4	0.6	4.7	0.6	0.2	0.2
70°	0.1	0.1	0.1	0.1	0.3	0.2	0.2	0.3	0.4	0.2	0.1	0.1	0.1
75°	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1
80°	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
85°	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
95°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
105°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
110°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
115°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
120°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
125°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
130°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
135°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
140°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
145°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
150°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
155°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
160°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
165°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
170°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
175°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
180°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Photometric test report

**Family
Silica® 31**

**Order number: 51MY6LMS44BA
EAN: 4069025073327**

**LP number
59650_5**

s i t e c o

Table of values for luminous intensities Maximum luminous intensity

C-planes	195°	210°	225°	240°	255°	270°	285°	300°	315°	330°	345°	Phi-zone	Total Phi-zone
Luminous intensity in cd/klm													
γ													
0°	589.6	589.6	589.6	589.6	589.6	589.6	589.6	589.6	589.6	589.6	589.6	3.5	3.5
5°	589.5	589.3	589.3	589.4	589.3	589.1	588.8	589.2	589.5	589.5	589.5	28.2	31.7
10°	587.5	587.5	587.8	587.7	588.4	588.0	588.4	588.9	588.9	588.9	588.7	56.0	87.7
15°	585.8	586.7	586.7	587.0	586.5	587.4	587.6	588.6	588.4	587.7	587.0	83.3	171.0
20°	583.0	584.9	586.7	582.7	580.7	581.3	582.8	584.9	587.8	585.6	584.3	109.3	280.2
25°	578.6	581.4	576.5	573.9	573.7	575.5	576.6	575.9	575.8	582.3	578.8	133.1	413.4
30°	565.7	567.2	554.0	561.2	566.8	569.8	569.4	562.7	551.6	563.9	555.4	152.7	566.1
35°	519.1	512.8	512.1	516.7	470.5	458.8	472.3	512.1	508.2	485.7	495.3	153.4	719.5
40°	419.8	392.7	437.6	379.4	355.4	347.6	349.4	376.2	408.2	372.4	384.6	130.6	850.1
45°	224.5	235.9	266.4	242.6	230.4	237.2	228.0	224.8	263.5	221.4	214.1	83.9	934.0
50°	91.7	102.6	142.9	109.4	150.3	158.2	143.3	100.5	118.0	83.4	71.0	42.1	976.1
55°	27.0	36.0	36.8	66.0	78.6	80.0	77.1	54.2	36.8	37.9	13.2	18.2	994.3
60°	2.7	13.2	20.7	23.8	12.3	1.4	12.4	22.5	17.7	8.3	1.8	4.7	999.1
65°	0.1	1.0	6.4	1.9	1.1	1.0	1.1	1.9	6.4	0.5	0.1	0.7	999.8
70°	0.1	0.1	0.6	1.1	0.6	0.5	0.6	1.1	0.3	0.1	0.1	0.2	999.9
75°	0.0	0.0	0.1	0.3	0.1	0.0	0.1	0.3	0.0	0.0	0.0	0.0	1000.0
80°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
85°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
90°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
95°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
100°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
105°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
110°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
115°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
120°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
125°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
130°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
135°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
140°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
145°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
150°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
155°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
160°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
165°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
170°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
175°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0
180°	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1000.0

Photometric test report

**Family
Silica® 31**

**Order number: 51MY6LMS44BA
EAN: 4069025073327**

**LP number
59650_5**

s i t e c o

UGR-Table

Standard room

		View crosswise (C0)						View endwise (C90)			
x	y	19.8	21.1	20.1	21.4	21.7	19.7	21.1	20.1	21.4	21.7
2H	2H	19.8	21.1	20.1	21.4	21.7	19.7	21.1	20.1	21.4	21.7
	3H	19.6	20.8	20.0	21.1	21.5	19.6	20.8	20.0	21.1	21.5
	4H	19.6	20.7	20.0	21.0	21.4	19.5	20.6	19.9	21.0	21.3
	6H	19.5	20.5	19.9	20.9	21.2	19.5	20.4	19.9	20.8	21.2
	8H	19.5	20.4	19.9	20.8	21.2	19.5	20.4	19.9	20.7	21.1
	12H	19.5	20.3	19.9	20.7	21.1	19.5	20.3	19.9	20.7	21.1
4H	2H	19.6	20.7	20.0	21.0	21.4	19.5	20.6	19.9	21.0	21.4
	3H	19.5	20.3	19.9	20.7	21.1	19.4	20.3	19.8	20.7	21.1
	4H	19.4	20.2	19.8	20.6	21.0	19.3	20.1	19.8	20.5	21.0
	6H	19.3	20.0	19.8	20.4	20.9	19.2	19.9	19.7	20.3	20.8
	8H	19.3	19.9	19.7	20.3	20.8	19.2	19.8	19.7	20.2	20.7
	12H	19.2	19.7	19.7	20.2	20.7	19.2	19.7	19.7	20.2	20.7
8H	4H	19.3	19.9	19.7	20.3	20.8	19.2	19.8	19.7	20.2	20.7
	6H	19.2	19.6	19.7	20.1	20.6	19.1	19.6	19.6	20.1	20.6
	8H	19.1	19.5	19.6	20.0	20.5	19.0	19.5	19.6	20.0	20.5
	12H	19.1	19.4	19.6	19.9	20.5	19.0	19.4	19.5	19.9	20.4
12H	4H	19.2	19.7	19.7	20.2	20.7	19.2	19.7	19.7	20.2	20.7
	6H	19.1	19.5	19.6	20.0	20.5	19.1	19.5	19.6	20.0	20.5
	8H	19.1	19.4	19.6	19.9	20.5	19.0	19.4	19.5	19.9	20.4

Luminance table

Max. for $\gamma \geq 65^\circ$

Photometric dimensions in mm:
 $L = 240$
 $B = 240$

C-planes	0°	30°	60°	90°	120°	150°	180°	210°	240°	270°	300°	330°
γ	Luminance in cd/m²											
45°	19653.6	21711.7	22254.6	19665.0	23000.8	23679.3	27795.5	26698.7	27456.4	26845.7	25443.5	25059.0
50°	6622.9	7958.9	9429.3	14392.7	9122.0	11306.4	11437.0	12775.7	13621.6	19692.1	12514.4	10387.2
55°	1143.5	3982.8	5661.3	8133.2	6143.6	4413.7	2431.3	5017.3	9203.8	11165.1	7562.9	5282.1
60°	80.2	1025.9	2606.7	91.9	2502.8	1768.8	308.0	2106.2	3804.5	228.6	3609.4	1333.2
65°	26.5	65.1	95.1	76.7	114.0	120.8	36.7	192.4	351.3	181.0	358.9	89.4
70°	13.8	22.7	76.1	55.2	89.9	26.7	26.0	17.6	260.4	113.0	262.6	13.6
75°	3.4	15.2	45.1	20.7	44.8	22.0	19.2	11.4	98.6	3.4	100.5	3.4
80°	0.0	30.0	10.6	0.0	6.9	21.7	15.7	5.1	0.9	0.0	1.4	3.2
85°	0.0	0.0	0.0	0.0	0.0	0.0	17.4	0.0	0.0	0.0	0.0	0.0

Photometric test report

Family
Silica® 31


Order number: 51MY6LMS44BA
EAN: 4069025073327

LP number
59650_5

Luminance values in cd/m²

γ 65° γ 70° γ 75° γ 80° γ 85°

sitereco



Photometric test report

Family
Silica® 31

Order number: 51MY6LMS44BA
EAN: 4069025073327

LP number
59650_5

Multilumen Table

environmental temperature: 25°C

sitereco

DIP-Step	Switch Setting				Luminous flux [lm]	Power consumption [W]
	1	2	3	4		
15	ON	ON	ON	ON	6620	39.0
14	OFF	ON	ON	ON	6340	37.0
13	ON	OFF	ON	ON	6050	35.0
12	OFF	OFF	ON	ON	5770	33.0
10	OFF	ON	OFF	ON	5490	31.5
9	ON	OFF	OFF	ON	5220	30.0
8	OFF	OFF	OFF	ON	4870	28.0
6	OFF	ON	ON	OFF	4610	26.0
5	ON	OFF	ON	OFF	4330	24.5
4	OFF	OFF	ON	OFF	4050	22.5
2	OFF	ON	OFF	OFF	3740	21.0
1	ON	OFF	OFF	OFF	3430	19.0
0	OFF	OFF	OFF	OFF	3130	17.5