


LITEPOLE

5XA541...



**siteco**

[ mm ]

**5XA541...**

**S↓** = 0.035m<sup>2</sup>

**S→**  
= 0.115m<sup>2</sup>

**S→**  
= 0.125m<sup>2</sup>





5XA541...		
5NA54100XD ..		X
5XA540...		X

**kg** ≤ 5.9


**1**

2


5LA52201XR




3a



3b








-120°	-90°	-60°	-30°	0°	30°	60°	90°	120°
-30...-120°					30...120°			
				-				


4b




T20



5b



6b








5XA5405...




7










Zhaga Book 18



	A G
5XA . . . . . K...	C
5XA . . . . . L...	C
5XA . . . . . R...	C
5XA . . . . . A...	D
5XA . . . . . B...	D
5XA . . . . . C...	D
5XA . . . . . E...	D
5XA . . . . . F...	D
5XA . . . . . J...	D

Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse C oder D.  
This product contains a light source of energy efficiency class C or D.





5MA89-251582\_ae  
04.02.2022 / GEI

Siteco GmbH  
Georg-Simon-Ohm-Straße 50  
83301 Traunreut, Germany  
mail: [technicalsupport@siteco.de](mailto:technicalsupport@siteco.de)  
Phone: +49 8669 / 33-844  
[www.siteco.com](http://www.siteco.com)